

## Uplands Manor Primary School



### *Power Maths* calculation policy, KS1

The following pages show the *Power Maths* progression in calculation (addition, subtraction, multiplication and division) and how this works in line with the National Curriculum. The consistent use of the CPA (concrete, pictorial, abstract) approach across *Power Maths* helps children develop mastery across all the operations in an efficient and reliable way. This policy shows how these methods develop children's confidence in their understanding of both written and mental methods.

## Overview of Written Calculation Approaches

### Early Years into KS1

- Visualisation to secure understanding of the number system, especially the use of place value resources such as Base 10, Numicon, 100 Squares, egg boxes, part-whole models and abaci.
- Secure understanding of numbers to 10, using resources such as Numicon, Tens Frames, fingers and multi-link.
- Subitising to begin making links between the different images of a number and their links to calculation.
- Practical, oral and mental activities to understand calculation.
- Personal methods of recording.
- Children should not be introduced to symbols for the four operations until Year 1.

### Key Stage 1

- Introduce signs and symbols (***+***, ***-***, ***=*** **and** ***<*** **and** ***>*** **to compare numbers in Year 1** **and** ***x*** **and** ***÷*** **in Year 2)**
- Add and subtract 1-digit and 2-digit numbers up to 20, including 0 in year 1 and two 2-digit numbers up to 100 in Year 2.
- Extended visualisation to secure understanding of the number system to 100, especially the use of place value resources such as Base 10, Place Value Charts & Grids, Number Grids, Arrow Cards and Place Value Counters.
- Subtraction should be taught as finding the difference and counting back, selecting according to the calculation.

## Calculation Policy

- Further work on subitising and Tens Frames to develop basic calculation understanding, supported by Numicon and multi-link.
- Continued use of practical apparatus to support the early teaching of 2-digit calculation. For example, using Base 10 or Numicon to demonstrate partitioning and exchanging before these methods are taught as jottings / calculations.
- Methods of recording / jottings to support calculation (e.g. partitioning or counting on).
- Use images such as empty number lines to support mental and informal calculation.
- Children should explore practically both grouping and sharing for division.

### Addition Calculation

$4 + 2 = 6$

(add) (equals)

addend total  
+ addend Sum

Sense of Number Primary School

### Subtraction Calculation

$6 - 2 = 4$

(subtract) (equals)

minuend difference  
- subtrahend

Sense of Number Primary School

### Multiplication Calculation

$4 \times 2 = 8$

(multiplied by) (equals)

multiplicand product  
 $\times$  multiplier

Sense of Number Primary School

### Division Calculation

$8 \div 2 = 4$

(divided by) (equals)

dividend quotient  
 $\div$  divisor

Sense of Number Primary School

### Vocabulary per year group:

Each year group should build on and consolidate previous year groups

Year 1				Year 2			
<b>Addition</b>	<b>Subtraction</b>	<b>Multiplication</b>	<b>Division</b>	<b>Addition</b>	<b>Subtraction</b>	<b>Multiplication</b>	<b>Division</b>
<p><b>Numeral</b> – how to write a number using digits</p> <p><b>Digit</b> – 24 is a 2-digit number. The 2 represents the tens, the 4 represents the ones</p> <p><b>Sum</b> – the total of one or more additions</p> <p><b>Total</b> – the sum found by adding <b>10 more than.</b></p>	<p><b>Subtract</b> – to carry out the process of subtraction</p> <p><b>Minus</b> – a name for the symbol ‘-’</p> <p><b>Difference</b> – the answer to a subtraction.</p>	<p><b>Groups of, sets of, lots of</b></p>	<p><b>Sharing</b> – share equally a number of objects into a specified number of groups.</p> <p><b>Divide</b> – to carry out the process of division</p>	<p><b>Addend</b> – a number to be added to another</p> <p><b>Commutative</b> – addition is commutative so <math>8 + 2 = 2 + 8</math></p> <p><b>Inverse</b> – addition and subtraction are inverse operations so <math>7 + 3 = 10</math> and <math>10 - 3 = 7</math></p> <p><b>Exchange</b> – when adding ones if the total is greater</p>	<p><b>Inverse</b> – addition and subtraction are inverse operations so <math>10 - 4 = 6</math> and <math>6 + 4 = 10</math> (it is NOT commutative)</p> <p><b>Exchange</b> – when the number to subtract is smaller than the number we are subtracting from we</p>	<p><b>Multiply</b> – to carry out the process of multiplication</p> <p><b>Multiple</b> – a number in a times table e.g. the multiples of 2 are 2,4,6 etc.</p> <p><b>Groups of, lots of, sets of, times, multiplied by</b> – different ways to say the symbol “x”</p>	<p><b>Sharing</b> – sharing equally between</p> <p><b>Grouping</b> - put into groups of</p> <p><b>Divided by</b> – sharing or grouping</p> <p><b>Inverse</b> – multiplication and division are inverse operations so <math>10 \div 2 = 5</math> and <math>5 \times 2 = 10</math></p>



Calculation Policy

				than 10 we exchange 10 ones for a ten.		<b>Product</b> – the result of multiplying 2 numbers.	
--	--	--	--	--	--	---	--

## KEY STAGE 1

Children develop the core ideas that underpin all calculation. They begin by connecting calculation with counting on and counting back, but they should learn that understanding wholes and parts will enable them to calculate efficiently and accurately, and with greater flexibility. They learn how to use an understanding of 10s and 1s to develop their calculation strategies, especially in addition and subtraction.

**Key language:** whole, part, ones, ten, tens, number bond, add, addition, plus, total, altogether, subtract, subtraction, find the difference, take away, minus, less, more, group, share, equal, equals, is equal to, groups, equal groups, times, multiply, multiplied by, divide, share, shared equally, times-table

**Addition and subtraction:** Children first learn to connect addition and subtraction with counting, but they soon develop two very important skills: an understanding of parts and wholes, and an understanding of unitising 10s, to develop efficient and effective calculation strategies based on known number bonds and an increasing awareness of place value. Addition and subtraction are taught in a way that is interlinked to highlight the link between the two operations. A key idea is that children will select methods and approaches based on their number sense. For example, in Year 1, when faced with  $15 - 3$  and  $15 - 13$ , they will adapt their ways of approaching the calculation appropriately. The teaching should always emphasise the importance of mathematical thinking to ensure accuracy and flexibility of approach, and the importance of using known number facts to harness their recall of bonds within 20 to support both addition and subtraction methods.

In Year 2, they will start to see calculations presented in a column format, although this is not expected to be formalised until KS2. We show the column method in Year 2 as an option; teachers may not wish to include it until Year 3.







**Multiplication and division:** Children develop an awareness of equal groups and link this with counting in equal steps, starting with 2s, 5s and 10s. In Year 2, they learn to connect the language of equal groups with the mathematical symbols for multiplication and division.









They learn how multiplication and division can be related to repeated addition and repeated subtraction to find the answer to the calculation. In this key stage, it is vital that children explore and experience a variety of strong images and manipulative representations of equal groups, including concrete experiences as well as abstract calculations.

Children begin to recall some key multiplication facts, including doubles, and an understanding of the 2, 5 and 10 times-tables and how they are related to counting.









**Fractions:** In Year 1, children encounter halves and quarters, and link this with their understanding of sharing. They experience key spatial representations of these fractions, and learn to recognise examples and non-examples, based on their awareness of equal parts of a whole. In Year 2, they develop an awareness of unit fractions and experience non-unit fractions, and they learn to write them and read them in the common format of numerator and denominator.








Year 1

	Concrete	Pictorial	Abstract
<b>Year 1 Addition</b>	<p><b>Counting and adding more</b> Children add one more person or object to a group to find one more.</p>	<p><b>Counting and adding more</b> Children add one more cube or counter to a group to represent one more.</p>  <p><i>One more than 4 is 5.</i></p>	<p><b>Counting and adding more</b> Use a number line to understand how to link counting on with finding one more.</p>  <p><i>One more than 6 is 7. 7 is one more than 6.</i></p> <p>Learn to link counting on with adding more than one.</p>  <p><math>5 + 3 = 8</math></p>
	<p><b>Understanding part-part-whole relationship</b> Sort people and objects into parts and understand the relationship with the whole.</p>  <p><i>The parts are 2 and 4. The whole is 6.</i></p>	<p><b>Understanding part-part-whole relationship</b> Children draw to represent the parts and understand the relationship with the whole.</p>  <p><i>The parts are 1 and 5. The whole is 6.</i></p>	<p><b>Understanding part-part-whole relationship</b> Use a part-whole model to represent the numbers.</p>  <p><math>6 + 4 = 10</math></p> <p><math>6 + 4 = 10</math></p>
	<p><b>Knowing and finding number bonds within 10</b></p>	<p><b>Knowing and finding number bonds within 10</b></p>	<p><b>Knowing and finding number bonds within 10</b></p>









<p>Break apart a group and put back together to find and form number bonds.</p>  <p><math>3 + 4 = 7</math></p>  <p><math>6 = 2 + 4</math></p>	<p>Use five and ten frames to represent key number bonds.</p>  <p><math>5 = 4 + 1</math></p>  <p><math>10 = 7 + 3</math></p>	<p>Use a part-whole model alongside other representations to find number bonds. Make sure to include examples where one of the parts is zero.</p> <p>a)</p>  <p>b)</p>  <p><math>4 + 0 = 4</math> <math>3 + 1 = 4</math></p>
<p><b>Understanding teen numbers as a complete 10 and some more</b> Complete a group of 10 objects and count more.</p>  <p><i>13 is 10 and 3 more.</i></p>	<p><b>Understanding teen numbers as a complete 10 and some more</b> Use a ten frame to support understanding of a complete 10 for teen numbers.</p>  <p><i>13 is 10 and 3 more.</i></p>	<p><b>Understanding teen numbers as a complete 10 and some more.</b></p> <p><i>1 ten and 3 ones equal 13.</i> <math>10 + 3 = 13</math></p>
<p><b>Adding by counting on</b></p>	<p><b>Adding by counting on</b> Children use counters to support and represent their counting on strategy.</p>	<p><b>Adding by counting on</b> Children use number lines or number tracks to support their counting on strategy.</p>














	<p>Children use knowledge of counting to 20 to find a total by counting on using people or objects.</p> 		
<p><b>Adding the 1s</b> Children use bead strings to recognise how to add the 1s to find the total efficiently.</p>  <p><math>2 + 3 = 5</math> <math>12 + 3 = 15</math></p>	<p><b>Adding the 1s</b> Children represent calculations using ten frames to add a teen and 1s.</p>  <p><math>2 + 3 = 5</math> <math>12 + 3 = 15</math></p>	<p><b>Adding the 1s</b> Children recognise that a teen is made from a 10 and some 1s and use their knowledge of addition within 10 to work efficiently.</p> <p><math>3 + 5 = 8</math> So, <math>13 + 5 = 18</math></p>	
<p><b>Bridging the 10 using number bonds</b> Children use a bead string to complete a 10 and understand how this relates to the addition.</p>  <p><i>7 add 3 makes 10. So, 7 add 5 is 10 and 2 more.</i></p>	<p><b>Bridging the 10 using number bonds</b> Children use counters to complete a ten frame and understand how they can add using knowledge of number bonds to 10.</p> 	<p><b>Bridging the 10 using number bonds</b> Use a part-whole model and a number line to support the calculation.</p>  <p><math>9 + 4 = 13</math></p>	
<p>Year 1</p>	<p>Counting back and taking away</p>	<p>Counting back and taking away</p>	<p>Counting back and taking away</p>

<p><b>Subtraction</b></p>	<p>Children arrange objects and remove to find how many are left.</p>  <p>1 less than 6 is 5. 6 subtract 1 is 5.</p>	<p>Children draw and cross out or use counters to represent objects from a problem.</p>   <p><math>9 - \square = \square</math> There are <math>\square</math> children left.</p>	<p>Children count back to take away and use a number line or number track to support the method.</p>  <p><math>9 - 3 = 6</math></p>
<p><b>Finding a missing part, given a whole and a part</b> Children separate a whole into parts and understand how one part can be found by subtraction.</p>	<p><b>Finding a missing part, given a whole and a part</b> Children represent a whole and a part and understand how to find the missing part by subtraction.</p>  <p><math>5 - 4 = \square</math></p>	<p><b>Finding a missing part, given a whole and a part</b> Children use a part-whole model to support the subtraction to find a missing part.</p>  <p><math>7 - 3 = ?</math></p> <p>Children develop an understanding of the relationship between addition and subtraction facts in a part-whole model.</p>  <p><math>\square - \square = \square</math> <math>\square - \square = \square</math> <math>\square + \square = \square</math> <math>\square + \square = \square</math></p>	
<p><b>Finding the difference</b></p>	<p><b>Finding the difference</b></p>	<p><b>Finding the difference</b></p>	



<p>Arrange two groups so that the difference between the groups can be worked out.</p>  <p>8 is 2 more than 6. 6 is 2 less than 8. The difference between 8 and 6 is 2.</p>	<p>Represent objects using sketches or counters to support finding the difference.</p>  <p><math>5 - 4 = 1</math> The difference between 5 and 4 is 1.</p>	<p>Children understand 'find the difference' as subtraction.</p>  <p><math>10 - 4 = 6</math> The difference between 10 and 6 is 4.</p>
<p><b>Subtraction within 20</b> Understand when and how to subtract 1s efficiently.</p> <p>Use a bead string to subtract 1s efficiently.</p>  <p><math>5 - 3 = 2</math> <math>15 - 3 = 12</math></p>	<p><b>Subtraction within 20</b> Understand when and how to subtract 1s efficiently.</p>  <p><math>5 - 3 = 2</math> <math>15 - 3 = 12</math></p>	<p><b>Subtraction within 20</b> Understand how to use knowledge of bonds within 10 to subtract efficiently.</p> <p><math>5 - 3 = 2</math> <math>15 - 3 = 12</math></p>
<p><b>Subtracting 10s and 1s</b> For example: <math>18 - 12</math></p> <p>Subtract 12 by first subtracting the 10, then the remaining 2.</p>  <p>First subtract the 10, then take away 2.</p>	<p><b>Subtracting 10s and 1s</b> For example: <math>18 - 12</math></p> <p>Use ten frames to represent the efficient method of subtracting 12.</p>  <p>First subtract the 10, then subtract 2.</p>	<p><b>Subtracting 10s and 1s</b> Use a part-whole model to support the calculation.</p>  <p><math>19 - 14</math> <math>19 - 10 = 9</math> <math>9 - 4 = 5</math> So, <math>19 - 14 = 5</math></p>
<p><b>Subtraction bridging 10 using number bonds</b></p>	<p><b>Subtraction bridging 10 using number bonds</b></p>	<p><b>Subtraction bridging 10 using number bonds</b></p>


	<p>For example: <math>12 - 7</math></p> <p>Arrange objects into a 10 and some 1s, then decide on how to split the 7 into parts.</p>  <p><i>7 is 2 and 5, so I take away the 2 and then the 5.</i></p>	<p>Represent the use of bonds using ten frames.</p>  <p><i>For <math>13 - 5</math>, I take away 3 to make 10, then take away 2 to make 8.</i></p>	<p>Use a number line and a part-whole model to support the method.</p> <p><math>13 - 5</math></p> 
<p><b>Year 1 Multiplication</b></p>	<p><b>Recognising and making equal groups</b> Children arrange objects in equal and unequal groups and understand how to recognise whether they are equal.</p> <p>A  B  C </p>	<p><b>Recognising and making equal groups</b> Children draw and represent equal and unequal groups.</p> <p>A  B </p>	<p><b>Describe equal groups using words</b></p> <p><i>Three equal groups of 4.</i> <i>Four equal groups of 3.</i></p>
	<p><b>Finding the total of equal groups by counting in 2s, 5s and 10s</b></p>  <p>There are 5 pens in each pack ... <math>5 \dots 10 \dots 15 \dots 20 \dots 25 \dots 30 \dots 35 \dots 40 \dots</math></p>	<p><b>Finding the total of equal groups by counting in 2s, 5s and 10s</b> 100 squares and ten frames support counting in 2s, 5s and 10s.</p> 	<p><b>Finding the total of equal groups by counting in 2s, 5s and 10s</b> Use a number line to support repeated addition through counting in 2s, 5s and 10s.</p> 
<p><b>Year 1 Division</b></p>	<p><b>Grouping</b></p>	<p><b>Grouping</b> Represent a whole and work out how many equal groups.</p>	<p><b>Grouping</b> Children may relate this to counting back in steps of 2, 5 or 10.</p>

Learn to make equal groups from a whole and find how many equal groups of a certain size can be made.


Sort a whole set people and objects into equal groups.



*There are 10 children altogether.  
There are 2 in each group.  
There are 5 groups.*




*There are 10 in total.  
There are 5 in each group.  
There are 2 groups.*




**Sharing**

Share a set of objects into equal parts and work out how many are in each part.



**Sharing**













Sketch or draw to represent sharing into equal parts. This may be related to fractions.






























**Sharing**

*10 shared into 2 equal groups gives 5 in each group.*

Year 2

	Concrete	Pictorial	Abstract										
<b>Year 2 Addition</b>													
<b>Understanding 10s and 1s</b>	<p>Group objects into 10s and 1s.</p>  <p>Bundle straws to understand unitising of 10s.</p> 	<p>Understand 10s and 1s equipment, and link with visual representations on ten frames.</p> 	<p>Represent numbers on a place value grid, using equipment or numerals.</p> <table border="1" data-bbox="1556 486 1870 813"> <tr> <th>Tens</th> <th>Ones</th> </tr> <tr> <td></td> <td></td> </tr> <tr> <td>3</td> <td>2</td> </tr> <tr> <th>Tens</th> <th>Ones</th> </tr> <tr> <td>4</td> <td>3</td> </tr> </table>	Tens	Ones			3	2	Tens	Ones	4	3
Tens	Ones												
													
3	2												
Tens	Ones												
4	3												
<b>Adding 10s</b>	<p>Use known bonds and unitising to add 10s.</p>  <p><i>I know that 4 + 3 = 7. So, I know that 4 tens add 3 tens is 7 tens.</i></p>	<p>Use known bonds and unitising to add 10s.</p>  <p><i>I know that 4 + 3 = 7. So, I know that 4 tens add 3 tens is 7 tens.</i></p>	<p>Use known bonds and unitising to add 10s.</p>  <p><math>4 + 3 = \square</math></p> <p><math>4 + 3 = 7</math>  <math>4 \text{ tens} + 3 \text{ tens} = 7 \text{ tens}</math>  <math>40 + 30 = 70</math></p>										
<b>Adding a 1-digit number</b>	<p>Add the 1s to find the total. Use known bonds within 10.</p>	<p>Add the 1s.</p>	<p>Add the 1s.</p>										

<p><b>to a 2-digit number not bridging a 10</b></p>	 <p><i>41 is 4 tens and 1 one. 41 add 6 ones is 4 tens and 7 ones.</i></p> <p>This can also be done in a place value grid.</p> <table border="1" data-bbox="353 520 620 790"> <tr> <td>T</td> <td>O</td> </tr> <tr> <td></td> <td></td> </tr> <tr> <td></td> <td></td> </tr> </table>	T	O					 +  =  <p><i>34 is 3 tens and 4 ones. 4 ones and 5 ones are 9 ones. The total is 3 tens and 9 ones.</i></p> <table border="1" data-bbox="958 456 1238 740"> <tr> <td>T</td> <td>O</td> </tr> <tr> <td></td> <td></td> </tr> <tr> <td></td> <td></td> </tr> </table>	T	O					<p>Understand the link between counting on and using known number facts. Children should be encouraged to use known number bonds to improve efficiency and accuracy.</p>  <p>This can be represented horizontally or vertically.</p> $34 + 5 = 39$ <p>or</p> <table border="1" data-bbox="1576 699 1727 911"> <tr> <td>T</td> <td>O</td> </tr> <tr> <td>3</td> <td>4</td> </tr> <tr> <td>+</td> <td>5</td> </tr> <tr> <td></td> <td>9</td> </tr> </table>	T	O	3	4	+	5		9
T	O																						
																							
																							
T	O																						
																							
																							
T	O																						
3	4																						
+	5																						
	9																						
<p><b>Adding a 1-digit number to a 2-digit number bridging 10</b></p>	<p>Complete a 10 using number bonds.</p>  +  <p><i>There are 4 tens and 5 ones. I need to add 7. I will use 5 to complete a 10, then add 2 more.</i></p>	<p>Complete a 10 using number bonds.</p> 	<p>Complete a 10 using number bonds.</p>  $7 = 5 + 2$ $45 + 5 + 2 = 52$																				
<p><b>Adding a 1-digit number to a 2-digit</b></p>	<p>Exchange 10 ones for 1 ten.</p>	<p>Exchange 10 ones for 1 ten.</p>	<p>Exchange 10 ones for 1 ten.</p>																				












<p><b>number using exchange</b></p>																																																																																																							
<p><b>Adding a multiple of 10 to a 2-digit number</b></p>	<p>Add the 10s and then recombine.</p> <p>27 is 2 tens and 7 ones. 50 is 5 tens.</p> <p>There are 7 tens in total and 7 ones. So, 27 + 50 is 7 tens and 7 ones.</p>	<p>Add the 10s and then recombine.</p> <p>66 is 6 tens and 6 ones. 66 + 10 = 76</p> <p>A 100 square can support this understanding.</p> <table border="1" data-bbox="958 1070 1200 1310"> <tr><td>1</td><td>2</td><td>3</td><td>4</td><td>5</td><td>6</td><td>7</td><td>8</td><td>9</td><td>10</td></tr> <tr><td>11</td><td>12</td><td>13</td><td>14</td><td>15</td><td>16</td><td>17</td><td>18</td><td>19</td><td>20</td></tr> <tr><td>21</td><td>22</td><td>23</td><td>24</td><td>25</td><td>26</td><td>27</td><td>28</td><td>29</td><td>30</td></tr> <tr><td>31</td><td>32</td><td>33</td><td>34</td><td>35</td><td>36</td><td>37</td><td>38</td><td>39</td><td>40</td></tr> <tr><td>41</td><td>42</td><td>43</td><td>44</td><td>45</td><td>46</td><td>47</td><td>48</td><td>49</td><td>50</td></tr> <tr><td>51</td><td>52</td><td>53</td><td>54</td><td>55</td><td>56</td><td>57</td><td>58</td><td>59</td><td>60</td></tr> <tr><td>61</td><td>62</td><td>63</td><td>64</td><td>65</td><td>66</td><td>67</td><td>68</td><td>69</td><td>70</td></tr> <tr><td>71</td><td>72</td><td>73</td><td>74</td><td>75</td><td>76</td><td>77</td><td>78</td><td>79</td><td>80</td></tr> <tr><td>81</td><td>82</td><td>83</td><td>84</td><td>85</td><td>86</td><td>87</td><td>88</td><td>89</td><td>90</td></tr> <tr><td>91</td><td>92</td><td>93</td><td>94</td><td>95</td><td>96</td><td>97</td><td>98</td><td>99</td><td>100</td></tr> </table>	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	<p>Add the 10s and then recombine.</p> <p>37 + 20 = ?</p> <p>30 + 20 = 50 50 + 7 = 57</p> <p>37 + 20 = 57</p>
1	2	3	4	5	6	7	8	9	10																																																																																														
11	12	13	14	15	16	17	18	19	20																																																																																														
21	22	23	24	25	26	27	28	29	30																																																																																														
31	32	33	34	35	36	37	38	39	40																																																																																														
41	42	43	44	45	46	47	48	49	50																																																																																														
51	52	53	54	55	56	57	58	59	60																																																																																														
61	62	63	64	65	66	67	68	69	70																																																																																														
71	72	73	74	75	76	77	78	79	80																																																																																														
81	82	83	84	85	86	87	88	89	90																																																																																														
91	92	93	94	95	96	97	98	99	100																																																																																														
<p><b>Adding a multiple of 10 to a 2-digit</b></p>	<p>Add the 10s using a place value grid to support.</p>	<p>Add the 10s using a place value grid to support.</p>	<p>Add the 10s represented vertically. Children must understand how the method relates to unitising of 10s and place value.</p>																																																																																																				












<p><b>number using columns</b></p>	<table border="1" style="width: 100%; text-align: center;"> <thead> <tr> <th style="width: 50%;">T</th> <th style="width: 50%;">O</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> </tr> <tr> <td></td> <td></td> </tr> </tbody> </table> <p>16 is 1 ten and 6 ones. 30 is 3 tens. There are 4 tens and 6 ones in total.</p>	T	O					<table border="1" style="width: 100%; text-align: center;"> <thead> <tr> <th style="width: 50%;">T</th> <th style="width: 50%;">O</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> </tr> <tr> <td></td> <td></td> </tr> </tbody> </table> <p>16 is 1 ten and 6 ones. 30 is 3 tens. There are 4 tens and 6 ones in total.</p>	T	O					<table style="margin-left: auto; margin-right: auto;"> <thead> <tr> <th style="border: 1px solid black; border-radius: 15px; padding: 5px;">T</th> <th style="border: 1px solid black; border-radius: 15px; padding: 5px;">O</th> </tr> </thead> <tbody> <tr> <td style="border: 1px solid black; border-radius: 15px; padding: 5px;">1</td> <td style="border: 1px solid black; border-radius: 15px; padding: 5px;">6</td> </tr> <tr> <td style="border: 1px solid black; border-radius: 15px; padding: 5px;">+ 3</td> <td style="border: 1px solid black; border-radius: 15px; padding: 5px;">0</td> </tr> <tr> <td style="border: 1px solid black; border-radius: 15px; padding: 5px;">4</td> <td style="border: 1px solid black; border-radius: 15px; padding: 5px;">6</td> </tr> </tbody> </table> <p><math>1 + 3 = 4</math> <math>1 \text{ ten} + 3 \text{ tens} = 4 \text{ tens}</math> <math>16 + 30 = 46</math></p>	T	O	1	6	+ 3	0	4	6
T	O																						
T	O																						
T	O																						
1	6																						
+ 3	0																						
4	6																						
<p><b>Adding two 2-digit numbers</b></p>	<p>Add the 10s and 1s separately.</p> <div style="display: flex; justify-content: space-around; align-items: center;"> </div> <p><math>5 + 3 = 8</math> There are 8 ones in total.</p> <p><math>3 + 2 = 5</math> There are 5 tens in total.</p> <p><math>35 + 23 = 58</math></p>	<p>Add the 10s and 1s separately. Use a part-whole model to support.</p> <div style="text-align: center;"> <p>32 + </p> </div> <p><math>11 = 10 + 1</math> <math>32 + 10 = 42</math> <math>42 + 1 = 43</math></p> <p><math>32 + 11 = 43</math></p>	<p>Add the 10s and the 1s separately, bridging 10s where required. A number line can support the calculations.</p> <div style="text-align: center;"> </div> <table style="margin-left: auto; margin-right: auto;"> <thead> <tr> <th style="border: 1px solid black; border-radius: 15px; padding: 5px;">T</th> <th style="border: 1px solid black; border-radius: 15px; padding: 5px;">O</th> </tr> </thead> <tbody> <tr> <td style="border: 1px solid black; border-radius: 15px; padding: 5px;">1</td> <td style="border: 1px solid black; border-radius: 15px; padding: 5px;">7</td> </tr> <tr> <td style="border: 1px solid black; border-radius: 15px; padding: 5px;">+ 2</td> <td style="border: 1px solid black; border-radius: 15px; padding: 5px;">5</td> </tr> <tr> <td style="border: 1px solid black; border-radius: 15px; padding: 5px;">3</td> <td style="border: 1px solid black; border-radius: 15px; padding: 5px;">2</td> </tr> </tbody> </table> <p><math>17 + 25</math></p>	T	O	1	7	+ 2	5	3	2												
T	O																						
1	7																						
+ 2	5																						
3	2																						
<p><b>Adding two 2-digit numbers using a place value grid</b></p>	<p>Add the 1s. Then add the 10s.</p>		<p>Add the 1s. Then add the 10s.</p>																				

			$\begin{array}{r} \text{T} \text{ O} \\ 32 \\ + 14 \\ \hline 46 \end{array}$
<p><b>Adding two 2-digit numbers with exchange</b></p>	<p>Add the 1s. Exchange 10 ones for a ten. Then add the 10s.</p>		<p>Add the 1s. Exchange 10 ones for a ten. Then add the 10s.</p> $\begin{array}{r} \text{T} \text{ O} \\ 36 \\ + 29 \\ \hline 45 \end{array}$
<p><b>Year 2 Subtraction</b></p>			




<p><b>Subtracting multiples of 10</b></p>	<p>Use known number bonds and unitising to subtract multiples of 10.</p>  <p><i>8 subtract 6 is 2. So, 8 tens subtract 6 tens is 2 tens.</i></p>	<p>Use known number bonds and unitising to subtract multiples of 10.</p>  <p><math>10 - 3 = 7</math> <i>So, 10 tens subtract 3 tens is 7 tens.</i></p>	<p>Use known number bonds and unitising to subtract multiples of 10.</p>  <p><i>7 tens subtract 5 tens is 2 tens. <math>70 - 50 = 20</math></i></p>
<p><b>Subtracting a single-digit number</b></p>	<p>Subtract the 1s. This may be done in or out of a place value grid.</p> 	<p>Subtract the 1s. This may be done in or out of a place value grid.</p> 	<p>Subtract the 1s. Understand the link between counting back and subtracting the 1s using known bonds.</p>  $\begin{array}{r} \text{T} \quad \text{O} \\ 3 \quad 9 \\ - \quad 3 \\ \hline 3 \quad 6 \end{array}$ <p><math>9 - 3 = 6</math> <math>39 - 3 = 36</math></p>
<p><b>Subtracting a single-digit number bridging 10</b></p>	<p>Bridge 10 by using known bonds.</p>  <p><math>35 - 6</math> <i>I took away 5 counters, then 1 more.</i></p>	<p>Bridge 10 by using known bonds.</p>  <p><math>35 - 6</math> <i>First, I will subtract 5, then 1.</i></p>	<p>Bridge 10 by using known bonds.</p>  <p><math>24 - 6 = ?</math> <math>24 - 4 - 2 = ?</math></p>
<p><b>Subtracting a single-digit</b></p>	<p>Exchange 1 ten for 10 ones. This may be done in or out of a place value grid.</p>	<p>Exchange 1 ten for 10 ones.</p>	<p>Exchange 1 ten for 10 ones.</p>


<p><b>number using exchange</b></p>			<p><math>25 - 7 = 18</math></p>																																																																																																				
<p><b>Subtracting a 2-digit number</b></p>	<p>Subtract by taking away.</p> <p><math>61 - 18</math> I took away 1 ten and 8 ones.</p>	<p>Subtract the 10s and the 1s.</p> <p>This can be represented on a 100 square.</p> <table border="1" data-bbox="958 831 1328 1198"> <tbody> <tr><td>1</td><td>2</td><td>3</td><td>4</td><td>5</td><td>6</td><td>7</td><td>8</td><td>9</td><td>10</td></tr> <tr><td>11</td><td>12</td><td>13</td><td>14</td><td>15</td><td>16</td><td>17</td><td>18</td><td>19</td><td>20</td></tr> <tr><td>21</td><td>22</td><td>23</td><td>24</td><td>25</td><td>26</td><td>27</td><td>28</td><td>29</td><td>30</td></tr> <tr><td>31</td><td>32</td><td>33</td><td>34</td><td>35</td><td>36</td><td>37</td><td>38</td><td>39</td><td>40</td></tr> <tr><td>41</td><td>42</td><td>43</td><td>44</td><td>45</td><td>46</td><td>47</td><td>48</td><td>49</td><td>50</td></tr> <tr><td>51</td><td>52</td><td>53</td><td>54</td><td>55</td><td>56</td><td>57</td><td>58</td><td>59</td><td>60</td></tr> <tr><td>61</td><td>62</td><td>63</td><td>64</td><td>65</td><td>66</td><td>67</td><td>68</td><td>69</td><td>70</td></tr> <tr><td>71</td><td>72</td><td>73</td><td>74</td><td>75</td><td>76</td><td>77</td><td>78</td><td>79</td><td>80</td></tr> <tr><td>81</td><td>82</td><td>83</td><td>84</td><td>85</td><td>86</td><td>87</td><td>88</td><td>89</td><td>90</td></tr> <tr><td>91</td><td>92</td><td>93</td><td>94</td><td>95</td><td>96</td><td>97</td><td>98</td><td>99</td><td>100</td></tr> </tbody> </table>	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	<p>Subtract the 10s and the 1s.</p> <p>This can be represented on a number line.</p> <p><math>64 - 41 = ?</math></p> <p><math>64 - 1 = 63</math> <math>63 - 40 = 23</math> <math>64 - 41 = 23</math></p> <p><math>46 - 20 = 26</math> <math>26 - 5 = 21</math> <math>46 - 25 = 21</math></p>
1	2	3	4	5	6	7	8	9	10																																																																																														
11	12	13	14	15	16	17	18	19	20																																																																																														
21	22	23	24	25	26	27	28	29	30																																																																																														
31	32	33	34	35	36	37	38	39	40																																																																																														
41	42	43	44	45	46	47	48	49	50																																																																																														
51	52	53	54	55	56	57	58	59	60																																																																																														
61	62	63	64	65	66	67	68	69	70																																																																																														
71	72	73	74	75	76	77	78	79	80																																																																																														
81	82	83	84	85	86	87	88	89	90																																																																																														
91	92	93	94	95	96	97	98	99	100																																																																																														
<p><b>Subtracting a 2-digit number using place</b></p>	<p>Subtract the 1s. Then subtract the 10s. This may be done in or out of a place value grid.</p>	<p>Subtract the 1s. Then subtract the 10s.</p>	<p>Using column subtraction, subtract the 1s. Then subtract the 10s.</p>																																																																																																				

<p><b>value and columns</b></p>	<table border="1" style="width: 100%; text-align: center;"> <tr> <td style="width: 50%;">T</td> <td style="width: 50%;">O</td> </tr> <tr> <td></td> <td></td> </tr> </table> <p><math>38 - 16 = 22</math></p>	T	O			<table border="1" style="width: 100%; text-align: center;"> <tr> <td style="width: 50%;">Tens</td> <td style="width: 50%;">Ones</td> </tr> <tr> <td></td> <td></td> </tr> </table>	Tens	Ones			<table style="width: 100%; text-align: center;"> <tr> <td style="width: 50%;">T</td> <td style="width: 50%;">O</td> </tr> <tr> <td>4</td> <td>5</td> </tr> <tr> <td>- 1</td> <td>2</td> </tr> <tr> <td style="border-top: 1px solid black;">3</td> <td style="border-top: 1px solid black;">3</td> </tr> </table> <table style="width: 100%; text-align: center;"> <tr> <td style="width: 50%;">T</td> <td style="width: 50%;">O</td> </tr> <tr> <td>4</td> <td>5</td> </tr> <tr> <td>- 1</td> <td>2</td> </tr> <tr> <td style="border-top: 1px solid black;">3</td> <td style="border-top: 1px solid black;">3</td> </tr> </table>	T	O	4	5	- 1	2	3	3	T	O	4	5	- 1	2	3	3								
T	O																																		
Tens	Ones																																		
T	O																																		
4	5																																		
- 1	2																																		
3	3																																		
T	O																																		
4	5																																		
- 1	2																																		
3	3																																		
<p><b>Subtracting a 2-digit number with exchange</b></p>		<p>Exchange 1 ten for 10 ones. Then subtract the 1s. Then subtract the 10s.</p> <table border="1" style="width: 100%; text-align: center;"> <tr> <td style="width: 50%;">Tens</td> <td style="width: 50%;">Ones</td> </tr> <tr> <td></td> <td></td> </tr> </table> <table border="1" style="width: 100%; text-align: center;"> <tr> <td style="width: 50%;">Tens</td> <td style="width: 50%;">Ones</td> </tr> <tr> <td></td> <td></td> </tr> </table> <table border="1" style="width: 100%; text-align: center;"> <tr> <td style="width: 50%;">Tens</td> <td style="width: 50%;">Ones</td> </tr> <tr> <td></td> <td></td> </tr> </table> <table border="1" style="width: 100%; text-align: center;"> <tr> <td style="width: 50%;">Tens</td> <td style="width: 50%;">Ones</td> </tr> <tr> <td></td> <td></td> </tr> </table>	Tens	Ones			Tens	Ones			Tens	Ones			Tens	Ones			<p>Using column subtraction, exchange 1 ten for 10 ones. Then subtract the 1s. Then subtract the 10s.</p> <table style="width: 100%; text-align: center;"> <tr> <td style="width: 50%;">T</td> <td style="width: 50%;">O</td> </tr> <tr> <td>4</td> <td>5</td> </tr> <tr> <td>- 2</td> <td>7</td> </tr> <tr> <td style="border-top: 1px solid black;">2</td> <td style="border-top: 1px solid black;">8</td> </tr> </table> <table style="width: 100%; text-align: center;"> <tr> <td style="width: 50%;">T</td> <td style="width: 50%;">O</td> </tr> <tr> <td><del>3</del></td> <td><sup>1</sup>5</td> </tr> <tr> <td>- 2</td> <td>7</td> </tr> <tr> <td style="border-top: 1px solid black;">1</td> <td style="border-top: 1px solid black;">8</td> </tr> </table>	T	O	4	5	- 2	7	2	8	T	O	<del>3</del>	<sup>1</sup> 5	- 2	7	1	8
Tens	Ones																																		
Tens	Ones																																		
Tens	Ones																																		
Tens	Ones																																		
T	O																																		
4	5																																		
- 2	7																																		
2	8																																		
T	O																																		
<del>3</del>	<sup>1</sup> 5																																		
- 2	7																																		
1	8																																		
<p><b>Year 2 Multiplication</b></p>																																			

<p><b>Equal groups and repeated addition</b></p>	<p>Recognise equal groups and write as repeated addition and as multiplication.</p>  <p><i>3 groups of 5 chairs 15 chairs altogether</i></p>	<p>Recognise equal groups using standard objects such as counters and write as repeated addition and multiplication.</p>  <p><i>3 groups of 5 15 in total</i></p>	<p>Use a number line and write as repeated addition and as multiplication.</p>  <p><i><math>5 + 5 + 5 = 15</math> <math>3 \times 5 = 15</math></i></p>
<p><b>Using arrays to represent multiplication and support understanding</b></p>	<p>Understand the relationship between arrays, multiplication and repeated addition.</p>  <p><i>4 groups of 5</i></p>	<p>Understand the relationship between arrays, multiplication and repeated addition.</p>  <p><i>4 groups of 5 ... 5 groups of 5</i></p>	<p>Understand the relationship between arrays, multiplication and repeated addition.</p>  <p><i><math>5 \times 5 = 25</math></i></p>
<p><b>Understanding commutativity</b></p>	<p>Use arrays to visualise commutativity.</p>  <p><i>I can see 6 groups of 3. I can see 3 groups of 6.</i></p>	<p>Form arrays using counters to visualise commutativity. Rotate the array to show that orientation does not change the multiplication.</p>  <p><i>This is 2 groups of 6 and also 6 groups of 2.</i></p>	<p>Use arrays to visualise commutativity.</p>  <p><i><math>4 + 4 + 4 + 4 + 4 = 20</math> <math>5 + 5 + 5 + 5 = 20</math> <math>4 \times 5 = 20</math> and <math>5 \times 4 = 20</math></i></p>
<p><b>Learning <math>\times 2</math>, <math>\times 5</math> and <math>\times 10</math> table facts</b></p>	<p>Develop an understanding of how to unitise groups of 2, 5 and 10 and learn corresponding times-table facts.</p>	<p>Understand how to relate counting in unitised groups and repeated addition with knowing key times-table facts.</p>	<p>Understand how the times-tables increase and contain patterns.</p>



	 <p>3 groups of 10 ... 10, 20, 30  <math>3 \times 10 = 30</math></p>	 <p><math>10 + 10 + 10 = 30</math>  <math>3 \times 10 = 30</math></p>	 <p><math>5 \times 10 = 50</math>  <math>6 \times 10 = 60</math></p>
<p><b>Year 2 Division</b></p>			
<p><b>Sharing equally</b></p>	<p>Start with a whole and share into equal parts, one at a time.</p>	<p>Represent the objects shared into equal parts using a bar model.</p>	<p>Use a bar model to support understanding of the division.</p>



12 shared equally between 2.  
They get 6 each.

Start to understand how this also relates to grouping. To share equally between 3 people, take a group of 3 and give 1 to each person. Keep going until all the objects have been shared




15




They get 5  each.

15 shared equally between 3.  
They get 5 each.



20 shared into 5 equal parts.  
There are 4 in each part.



$$18 \div 2 = 9$$










**Grouping equally**

Understand how to make equal groups from a whole.



Understand the relationship between grouping and the division statements.

Understand how to relate division by grouping to repeated subtraction.

	<p>8 divided into 4 equal groups. There are 2 in each group.</p>	<p><math>12 \div 3 = 4</math></p>  <p><math>12 \div 4 = 3</math></p>  <p><math>12 \div 6 = 2</math></p>  <p><math>12 \div 2 = 6</math></p> 	  <p>There are 4 groups now.</p> <p>12 divided into groups of 3. <math>12 \div 3 = 4</math></p> <p>There are 4 groups.</p>
<p><b>Using known times-tables to solve divisions</b></p>	<p>Understand the relationship between multiplication facts and division.</p>  <p>4 groups of 5 cars is 20 cars in total. 20 divided by 4 is 5.</p>	<p>Link equal grouping with repeated subtraction and known times-table facts to support division.</p>  <p>40 divided by 4 is 10.</p> <p>Use a bar model to support understanding of the link between times-table knowledge and division.</p> 	<p>Relate times-table knowledge directly to division.</p> <p> <math>1 \times 10 = 10</math>  <math>2 \times 10 = 20</math>  <math>3 \times 10 = 30</math>  <math>4 \times 10 = 40</math>  <math>5 \times 10 = 50</math>  <math>6 \times 10 = 60</math>  <math>7 \times 10 = 70</math>  <math>8 \times 10 = 80</math> </p> <div style="border: 1px solid orange; border-radius: 15px; padding: 10px; display: inline-block;"> <p>I used the 10 times-table to help me. <math>3 \times 10 = 30</math>.</p> </div> <p>I know that 3 groups of 10 makes 30, so I know that 30 divided by 10 is 3.</p> <p><math>3 \times 10 = 30</math> so <math>30 \div 10 = 3</math></p>